




Kaufteilzeichnung
PURCHASE PART DRAWING

BxA (mm)	C (mm)	E (mm)	F (mm)	G (mm)	Ø min (mm)	Ø max (mm)	Farbe/Color weiss/white	Farbe/Color schwarz/black
2.2x75	0.8	4.4	4.0	3.0	1	15	0860 0110 101	0860 0210 101
2.5x135	1.0	4.6	4.6	3.8	1	32	0860 0110 301	0860 0210 301
2.6x160	1.0	4.9	4.9	4.0	1	40	0860 0110 302	0860 0210 302
3.5x370	1.4	6.1	6.1	4.5	2	103	0860 0110 404	0860 0210 404
4.5x120	1.1	7.45	6.75	5.5	2.5	24	0860 0110 501	0860 0210 501
4.8x250	1.35	7.7	7.0	5.2	3	68	0860 0110 603	0860 0210 603
4.5x290	1.4	7.75	7.15	5.3	3.5	79	0860 0110 604	0860 0210 604
4.5x360	1.4	7.8	7.15	5.3	3.5	100	0860 0110 605	0860 0210 605
4.8x390	1.55	7.9	7.1	5.55	3.5	106	0860 0110 606	0860 0210 606
4.5x430	1.5	7.9	7.1	5.55	3.5	115	0860 0110 607	0860 0210 607
7.8x120	1.65	12.7	9.9	6.5	3.5	25	0860 0110 701	0860 0210 701
7.8x180	1.7	12.75	10.0	7.55	3.5	45	0860 0110 702	0860 0210 702
7.8x240	1.7	12.75	10.0	7.55	3.5	63	0860 0110 703	0860 0210 703
7.8x300	1.7	12.75	9.75	7.6	4	80	0860 0110 704	0860 0110 704
7.5x365	1.8	12.8	11.3	7.5	8	100	0860 0110 705	0860 0210 705
7.5x450	1.75	12.65	10.75	7.35	35	130	0860 0110 706	0860 0210 706
7.5x540	1.75	12.65	10.75	7.35	35	158	0860 0110 707	0860 0210 707
7.5x750	1.85	13.0	11.8	8.4	35	220	0860 0110 708	0860 0210 708
9.0x180	1.9	13.0	23.7	5.8	10	40	—	0860 0210 800
9.0x780	1.9	14.8	12.8	8.3	32	233	0860 0110 801	0860 0210 801
12.5x225	1.95	19.5	14.7	9.8	7.5	57	0860 0110 901	0860 0210 901
12.5x500	1.95	19.5	14.7	9.85	30	143	0860 0110 902	0860 0210 902
12.5x720	1.95	19.5	14.7	9.85	30	213	0860 0110 903	0860 0210 903
12.5x850	1.95	19.5	14.7	9.8	40	255	0860 0110 904	0860 0210 904
12.5x1000	1.95	19.5	14.7	9.8	40	302	0860 0110 905	0860 0210 905



EC Directives:
Raw materials used to produce listed cable ties are compliant with
EC Directives:
2000/53/EC (ELV)
2002/95/EC (RoHS)
2002/96/EC (WEEE)
2003/11/EC

Products are tested in accordance to DIN EN 62275
"Cable ties for Electrical Installation" C4

-	D	1	General tolerance of ±0.3 was added	-	2013-05-29	Trajkovic	Jacksteit				
-	C	2	1) Neue Position ergaenzl./neu position added; 2) an Lieferantenvorgabe angepasst/matched onto supplier requirement; 3) Typ A entfernt, siehe Zeichnung 0860 0020 000/ Type A removed, see drawing 0860 0020 000 4) Norm war/Standard was EN 50146	-	2013-01-02	Mertens	Jacksteit				
-	B	3	Mass war/measure was 1) 7.8x365 2) 7.8x450 3) 7.8x540	-	2010-07-08	Herrmann	Jacksteit				
-	A	-	Mass war/measure was 1) 103; 2) 2; 3) 4.1; 4) 6.0; 5) 1.02	608226	2010-02-23	Breideband	Jacksteit				
INDEX Teil/ PART	Zeichn. DWG	Anz. QTY.	Aenderung DESCRIPTION		Aend.Nr. CHANGE-NO.	Datum DATE	Bearb. DRAWN	Gepr. CHECKED			
Allgemeintoleranz: GENERAL TOLERANCE:		Form- und Lage toleranz: FORM AND POS. TOL.:		Abmass fuer Winkel: DEVIATION FOR ANGLE:		Gewicht / WEIGHT: errechnet CALCULATED		Volumen: VOLUME:			
±0.3		-		-		-		- cm ³			
Projektions-Methode 1 1st ANGLE PROJECTION DIN ISO 128-30		Material: PA66		PART NAME: Cable Ties Type B							
NORMA-Patentnummer: PATENT NUMBER:		Oberflaeche: see parts list		Benennung: Kabelbinder Typ B							
Bandlaenge: LENGTH OF BAND:		SURF. QUAL.: -		Kunde/CUSTOMER: -							
ZNE:		Massstab: SCALE: 1:1		Datum/DATE		Name/NAME		DIN A			
Ursprung/Anfrage: ENQUIRY-No.:		Bearb./DRAWN 2005-08-26 ibb/SaKe		Gepr./CHECKED 2005-09-26 Jacksteit		Norm		SHEET: SHEETS 2 1 1			
9900014389		NORMA Germany GmbH Postfach 1149 • 63461 Maintal		Schutzvermerk nach ISO 16016 beachten CONSIDER AFTER PROTECTION NOTICE ISO 16016		Zeichnungs-Nr./DRAWING-NO.:		INDEX PART DWG			
CAD-SYSTEM Pro/Engineer		© COPYRIGHT BY NORMA Group		SUB.F.: -		SUB.FROM: -		TYPE 00 0D P			
DRAWING-NAME: 08600010000_P				MODEL-NAME: 08600010000-B				MODEL-TYP: PART			